

※ 在庫切れ商品がある可能性もある為電話にて確認の上来店をお願いいたします

電子部品価格表① (税抜) 24/4月号

半導体/ICソケット/ユニバーサル基板/ブレッドボード/基板用コネクタ/発振子/放熱器

LED・ネオンブラケット/エアゾール・化学薬品

ヤナイ無線(株)

372-0022 伊勢崎市日乃出町502-7 営業時間 AM9:50~PM7:00

TEL 0270-24-9401 FAX 0270-23-9431 定休日:毎週 月・火曜日

4000 シリーズ				74LS シリーズ				ICソケット				丸ピン	
4000	###	174	67	00	###	8P	###	173					
4001	43	175	76	02	38	14P	40	¥17					
4002	67	192	105	04	48	16P	52	125					
4007	67	193	124	05	60	18P	65	133					
4011	43	221	143	06	124	20P	50	157					
4012	48	240	114	07	95	22P	57						
4013	60	241	114			24P	60	167					
4014	152	244	114	09	57	24P	40	スリムタイプ					
4015	124	245	114			28P	60	190					
4016	67	251	105	14	67	28P	40	スリムタイプ					
4017	120	257	95	20	38	40P	120	280					
4020	143	273	86	22	38	シングルライン							
4021	133	299	370	27	76	32P		350					
4022	275	367	76	30	38	PLOC ICソケット(KEI)							
4023	105	368	76	40	57	32P	PC008-032-325T-22F	¥333					
4024	105	373	114	42	57	68P	PC005-068-322T-1	543					
4025	105	374	114	47	143								
4027	67	375	95	48	95								
4028	114	393	133	73	95								
4029	80	540	152	75	67								
4030	48	541	152	76	95								
4040	100	573	143	86	57								
4042	105	574	120	90	105								
4043	95	595	180	92	143								
4044	114	688	170	93	171								
4046	238	4017	143	123	76	用途例							
4049	48	4020	124	124	57	LF オーディオ帯用							
4050	52	4040	114	125	124	HF 高周波用							
4051	90	4049	57	132	95	IF 中間周波増幅							
4052	76	4050	76	136	57	PA 電力増幅							
4053	86	4051	86	138	86	SW スイッチング用							
4066	57	4052	86	151	76	D ドライバ用							
4069	40	4053	100	153	76	TV テレビ用							
4070	38	4060	162	156	95	※用途例は一例を示したもので、詳しくはメーカーデータブック等でお確かめください。							
4071	43	4066	62	161	124								
4073	38	4072	48	164	124								
4075	76	4075	48	165	181								
4078	38	4078	48	170	171								
4081	38	4094	210	174	105								
4082	105	4511	152	175	67								
4094	152	4520	152	190	151								
4098	285	4538	162	191	133								
4510	114			192	124								
4511	114			193	124								
4516	133			194	133								
4518	133			197	133								
4520	152			221	114								
4521	238			241	187								
4522	133			245	133								
4528	133	00	###	280	143								
4538	170	04	38	290	152								
4543	324	08	38	293	152								
4569	276	14	57	367	95								
4584	57	20	38	368	76								
		32	38	373	103								
		42	76	374	105								
		74	48	390	152								
		74	48	393	171								
		74	48	401	171								
		74	48	404	210								
		74	48	407	210								
		74	48	410	210								
		74	48	413	210								
		74	48	416	210								
		74	48	419	210								
		74	48	422	210								
		74	48	425	210								
		74	48	428	210								
		74	48	431	210								
		74	48	434	210								
		74	48	437	210								
		74	48	440	210								
		74	48	443	210								
		74	48	446	210								
		74	48	449	210								
		74	48	452	210								
		74	48	455	210								
		74	48	458	210								
		74	48	461	210								
		74	48	464	210								
		74	48	467	210								
		74	48	470	210								
		74	48	473	210								
		74	48	476	210								
		74	48	479	210								
		74	48	482	210								
		74	48	485	210								
		74	48	488	210								
		74	48	491	210								
		74	48	494	210								
		74	48	497	210								
		74	48	500	210								
		74	48	503	210								
		74	48	506	210								
		74	48	509	210								
		74	48	512	210								
		74	48	515	210								
		74	48	518	210								
		74	48	521	210								
		74	48	524	210								
		74	48	527	210								
		74	48	530	210								
		74	48	533	210								
		74	48	536	210								
		74	48	539	210								
		74	48	542	210								
		74	48	545	210								
		74	48	548	210								
		74	48	551	210								
		74	48	554	210								
		74	48	557	210								
		74	48	560	210								
		74	48	563	210								
		74	48	566	210								
		74	48	569	210								
		74	48	572	210								
		74	48	575	210								
		74	48	578	210								
		74	48	581	210								
		74	48	584	210								
		74	48	587	210								
		74	48	590	210								
		74	48	593	210								
		74	48	596	210								
		74	48	599	210								
		74	48	602	210								
		74	48	605	210								
		74	48	608	210								
		74	48	611	210								
		74	48	614	210								
		74	48	617	210								
		74	48	620	210								
		74	48	623	210								
		74	48	626	210								
		74	48	629	210								
		74	48	632	210								
		74	48	635	210								
		74	48	638	210								
		74	48	641	210								
		74	48	644	210								
		74	48	647	210								
		74	48	650	210								
		74	48	653	210								
		74	48	656	210								
		74	48	659	210								
		74	48	662	210								
		74	48	665	210								
		74	48	668	210								
		74	48	671	210								
		74	48	674	210								
		74	48	677	210								
		74	48	680	210								
		74	48	683	210								
		74	48	686	210								
		74	48	689	210								
		74	48	692	210								
		74	48	695	210								
		74	48	698	210								
		74	48	701	210								
		74	48	704	210								
		74	48	707	210								
		74	48	710	210								
		74	48	713	210								
		74	48	716	210								
		74	48	719	210								
		74	48	722	210								
		74	48	725	210								
		74	48	728	210								
		74	48	731	210								
		74	48	734	210								
		74	48	737	210								
		74	48	740	210								
		74	48	743	210								
		74	48	746	210								
		74	48	749	210								
		74	48	752	210								
		74	48	755	210								
		74	48	758	210								
		74	48	761	210								
		74	48	764	210								
		74	48	767	210								
		74	48	770	210								
		74	48	773	210								
		74	48	776	210								
		74	48	779	210								
		74	48	782	210								
		74	48	785	210								
		74	48	788	210								
		74	48	791	210								
		74	48	794	210								
		74	48	797	210								
		74	48	800	210								
		74	48	803	210								
		74	48	806	210								
		74	48	809	210								
		74	48	812	210								
		74	48	815	210								
		74	48	818	210								
		74	48	821	210								
		74	48	824	210								
		74	48	827	210								
		74	48	830	210								
		74	48	833	210								
		74	48	836	210								
		74	48	839	210								
		74	48	842	210								
		74	48	845	210								
		74	48	848	210								
		74	48	851	210								
		74	48	854	210								
		74	48	857	210								
		74	48	860	210								
		74	48	863	210								
		74	48	866	210								
		74	48	869	210								
		74	48	872	210								
		74	48	875	210								
		74	48	878	210								
		74	48	881	210								
		74	48	884	210								
		74	48	887									

電子部品価格表②

(税抜)
24/4月号

コンデンサ/抵抗/パネルメーター/トランス/電池ホルダー/ケース/リレー/トロイダルコア・ノイズフィルター
ヒューズ/基板用コネクタ/メタルコネクタ/DINコネクタ/同軸コネクタ/同軸ケーブル・線材

ヤナイ無線 (株) TEL 0270-24-9401 FAX 0270-23-9431
営業時間 AM9:50~PM7:00 〒372-0022 伊勢崎市日乃出町502-7

コンデンサ													電圧トランス (Pはプリント基板取付用) (TOYOZUMI)													電池ホルダー (シカワ)												
電解コンデンサ 85℃													電解コンデンサ 105℃													電池ホルダー (シカワ)												
容量	16V	25V	35V	50V	63V	160V	250V	450V	10V	16V	25V	35V	50V	250V	350V	400V	型名	1次	2次	電流	価格	型名	電池/本数															
0.1μ																	RP-203(橋本)	P	100V	6V × 2	0.1A	###	A-302	単3/4本														
0.47μ																	RP5-207(橋本)	P	100V	12V × 2	0.50mA		A-303	単3/6本														
1				¥20			##										RP-301(橋本)	P	100V	5V × 2	0.2A	867	A-304	単3/6本														
2.2				20													HP-098	P	100V	9.0-9.0V	80mA	640	A-305	単3/6本														
3.3				20													PK-06067	P	100V	3.5-6V	0.67A	870	A-306	単3/8本														
4.7				20			48										PK-12034	P	100V	6-10-12V	0.34A	870	A-307	単3/3本														
10				20			57									80	SP-905(SEL)		100V	4.5-7-9V	0.5A	900	A-308	単3/1本														
15				20			95	100								100	HT-601		100V	6.3V	0.18A	530	A-310	単3/2本														
22				25			##	210									HT-605		100V	6.3V	0.5A	600	A-310ラジ	単3/2本														
33				25			##	340									HT-6052	100-110V	6.3V × 2	0.5A	1200	A-311	単3/4本															
47		¥20		38			##	340									HT-61		100V	3.15-6.3V	1A	760	A-319	単3/6本														
56																300	HTW-903	100-110V	9V × 2	0.3A	940	B-201	単2/1本															
68							381										HT-1203		100V	12V	0.3A	960	B-202ラジ	単2/2本														
100	¥24	20		40			##	448			¥29						HT-1205		100V	6-8-10-12V	0.5A	760	B-202リド	単2/2本														
220		25		48							35						HTR-1205	100-110V	6-10-12V × 2	0.5A	1600	B-203	単2/4本															
330		30		62													HT-121	100-110V	6-8-10-12V	1A	1300	B-206	単2/6本															
470		50		100							57						HT-122	100-110V	6-8-10-12V	2A	1800	B-207	単2/2本															
1000	57	80	¥105	135	¥110						71	86					HT-123	100-110V	6-8-10-12V	3A	2000	C-101	単1/1本															
2200		115	171						¥85		171						HTW-1501	100-110V	15V × 2	0.1A	730	C-102	単1/2本															
3300		171	200							100	133						HTW-1502	100-110V	15V × 2	0.2A	980	C-103	単1/4本															
4700		210									190						HT-1603	100-110V	10-12-14-16V	0.3A	820	C-103ラジ	単1/4本															
6800											262	¥300					HT-1605	100-110V	10-12-14-16V	0.5A	1100	C-108	単1/2本															
10000											238	410	B2190				HT-161	100-110V	10-12-14-16V	1A	1400	C-111	単1/6本															
													B2600				HT-162	100-110V	8-10-12-14-16V	2A	2000	D-501	単5/1本															
※0.1μF以下は電圧降下による容量低下が著しい。																																						

電子部品価格表③

(税抜)
24/4月号

スイッチ/端子台/ターミナル/ヒューズホルダー
ゴム足・ブッシュ/ガードブッシュ/イン・アウトレット

メーカー名 A:アルプス E:エコー電子 F:フジコ I:IDEC Fu:富士端子工業 M:ミヤマ電器 Ma:マル信無線 Mc:マックエイト N:NKK O:オムロン P:パナソニック S:サトーパーツ T:テイシン電機

トグル					
◎		取付ナット径:mm/m	P:基板直付型	斜体数字はスナッチ	
■ ◎	◎	型名	回路	動作	定格
M	5	MS-244	1	ON-ON	3A.125V.AC
M	5	MS-245	2	ON-ON	3A.125V.AC
M	5	MS-600A-B	1	ON-ON	3A.125V.AC
M	5	MS-600F-B	2	ON-ON	3A.125V.AC
M	5	MS-600K-B	1	ON-OFF	3A.125V.AC
M	5	MS-620C-B	1	ON-OFF-ON	0.3A.30V.DC
M	6	MS-166	1	ON-ON	10A.125V.AC
M	6	MS-167	1	ON-OFF-ON	10A.125V.AC
M	6	MS-169	2	ON-OFF-ON	10A.125V.AC
M	6	MS-500A-B	1	ON-ON	6A.125V.AC
M	6	MS-500A-BC	1	ON-ON	6A.125V.AC
M	6	MS-500B-B	1	ON-(ON)	6A.125V.AC
M	6	MS-500C-B	1	ON-OFF-ON	6A.125V.AC
M	6	MS-500D-BC	1	ON-OFF-(ON)	6A.125V.AC
M	6	MS-500E-B	1	(ON)-OFF-(ON)	6A.125V.AC
M	6	MS-500E-BC	1	(ON)-OFF-(ON)	6A.125V.AC
M	6	MS-500F-B	2	ON-ON	6A.125V.AC
M	6	MS-500F-BC	2	ON-ON	6A.125V.AC
M	6	MS-500H-B	2	ON-OFF-ON	6A.125V.AC
M	6	MS-500J-B	2	(ON)-OFF-(ON)	6A.125V.AC
M	6	MS-500J-BC	2	(ON)-OFF-(ON)	6A.125V.AC
M	6	MS-500M-B	3	ON-ON	6A.125V.AC
M	6	MS-500N-B	3	ON-OFF-ON	6A.125V.AC
M	6	MS-500P-B	4	ON-ON	6A.125V.AC
M	6	MS-500R-B	4	ON-OFF-ON	6A.125V.AC
M	6	MS-550A	1	ON-ON	3A.125V.AC
M	6	MS-550C	1	ON-OFF-ON	3A.125V.AC
M	6	MS-550F	2	ON-ON	3A.125V.AC
M	6	MS-550H	2	ON-OFF-ON	3A.125V.AC
N	P	A-12AP	1	ON-ON	0.1A.24V.DC
N	P	A-13AP	1	ON-OFF-ON	0.1A.24V.DC
M	P	MS-611A	1	ON-ON	0.3A.125V.AC
M	P	MS-611K	1	ON-OFF	0.3A.125V.AC
M	P	MS-620C	1	ON-OFF-ON	0.3A.30V.DC
M	P	MS-621C	1	ON-OFF-ON	0.3A.30V.DC
M	P	MS-621H	2	ON-OFF-ON	0.3A.30V.DC
M	10	DS-122	1	ON-OFF	10A.125V.AC
M	12	DS-231	2	ON-ON	6A.250V.AC
スライドスイッチ					
M	ネジ	DS-149C	1	ON-OFF-ON	10A.125V.AC
M	ネジ	DS-151H	2	ON-OFF-ON	6A.125V.AC
Ma	ネジ	MS-280	1	ON-ON	
Ma	ネジ	MS-292	2	ON-ON	
N	ネジ	MS-12AAS1	1	ON-ON	6A.125V.AC
N	P	SS-12SDH2	1	ON-ON	0.1A.30V.DC
N	P	SS-12SDP2	1	ON-ON	0.1A.30V.DC
N	P	SS-22SDP2	2	ON-ON	0.1A.30V.DC
タクトイルスイッチ					
O	P	B3F-1000	1	OFF-(ON)	50mA.24V.DC
O	P	B3F-1020	1	OFF-(ON)	50mA.24V.DC
O	P	B3F-1060	1	OFF-(ON)	50mA.24V.DC
O	P	B3F-1070	1	OFF-(ON)	50mA.24V.DC
O	P	B3F-3152	1	OFF-(ON)	50mA.24V.DC
O	P	B3W-4005	1	OFF-(ON)	50mA.24V.DC
N	P	CB-S15FTP2	1	OFF-(ON)	50mA.24V.DC
N	P	JB-15FBP2	1	OFF-(ON)	50mA.24V.DC
N	P	JB-15HKNP2	1	OFF-(ON)	50mA.24V.DC
ディップスイッチ					
A	P	SSGM102	2	OFF-ON	25mA.24V.DC
A	P	A6T-4104	4	OFF-ON	25mA.24V.DC
A	P	A6T-6101	6	OFF-ON	25mA.24V.DC
O	P	A6T-8104	8	OFF-ON	25mA.24V.DC
O	P	A6T-0104	10	OFF-ON	25mA.24V.DC
O	H	A6H-4102	4	OFF-ON	25mA.24V.DC
H	ハーフピッチ実装タイプ				
キースwitch					
M	16	DS-771	1	OFF-ON	3A.125V.AC
M	16	DS-775	1	OFF-ON	3A.125V.AC

スナッチピンタイプ					
■ ◎	型名	回路	動作	定格	価格
N 6	M-2012E	1	ON-ON	6A.125V.AC	¥420
N 6	M-2015L/L	1	ON-(ON)	6A.125V.AC	425
N 6	M-2028E	2	(ON)-OFF-(ON)	6A.125V.AC	550
N 6	M-2029L/L	2	ON-OFF-(ON)	6A.125V.AC	550
N 6	M-2035	3	ON-(ON)	3A.30V.DC	590
N 6	M-20209	1	ON-ON-(ON)	6A.125V.AC	480
N 6	M-2012W	1	ON-ON	6A.125V.AC	440
N 6	M-2013W	1	ON-OFF-ON	6A.125V.AC	520
N 6	M-2022W	2	ON-ON	6A.125V.AC	480
N 6	M-2023W	2	ON-OFF-ON	6A.125V.AC	610
N 6	M-2011L	1	ON-OFF	6A.125V.AC	590
N 6	M-2013L	1	ON-OFF-ON	6A.125V.AC	650
N 6	M-2029	2	ON-OFF-(ON)	6A.125V.AC	450
N 6	M-2029L	2	ON-OFF-(ON)	6A.125V.AC	795
N 12	S-33	3	ON-OFF-ON	25A.125V.AC	980
N 12	S-331-J	2	ON-OFF	25A.125V.AC	635
N 12	S-332-J	2	ON-ON	25A.125V.AC	660
N 12	S-332R	2	ON-ON	25A.125V.AC	885
N 12	S-332T	2	ON-ON	15A.250V.AC	880
N 12	S-333RN-J	2	ON-OFF-ON	25A.250V.AC	1,170
N 12	S-333T	2	ON-OFF-ON	15A.125V.AC	970
N 12	S-42	4	ON-ON	25A.125V.AC	1,170
N 12	S-422	2	ON-ON	25A.125V.AC	1,150
N 12	S-429	2	ON-OFF-ON	15A.125V.AC	1,315
N 12	S-43	4	ON-OFF-ON	25A.125V.AC	1,300
N 12	S-2AW	1	ON-ON	15A.125V.AC	705
N 12	S-3AW	1	ON-OFF-ON	15A.125V.AC	760
N 12	S-5AW	1	ON-(ON)	15A.125V.AC	760
N 12	S-6AW	2	ON-ON	20A.125V.AC	880
N 12	S-7AW	2	ON-OFF-ON	20A.125V.AC	850
N 12	S-8AW	1	(ON)-OFF-(ON)	15A.125V.AC	775
N 12	S-28AW	2	(ON)-OFF-(ON)	15A.125V.AC	1,000
P 12	T315N	3	ON-ON	15A.250V.AC	735
N	AT-210		M6用 ON-OFF文字板		50
N	AT-214		M12用 ON-OFF文字板		72
N	AT-215		M12用 ON-OFF文字板		105
N	AT-402		M12用 防水キャップ		220
N	AT-428		M6用 防水キャップ		195
N	AT-513		M6用 六角ナット		36
液動スイッチ					
スナッチピンタイプ					
(取付穴:13X19.1mm)					
M	DS-850K-S-WDK	1	ON-OFF	5A.125V.AC	¥130
M	DS-850S-F2-WDK	2	ON-OFF	10A.250V.AC	230
(取付穴径:20.4mm)					
M	DS-059K-ON-K	1	ON-OFF	5A.125V.AC	140
(取付穴:13X19.1mm)					
M	DS-850K-S-L-K	1	ON-OFF	5A.125V.AC	230
M	DS-325W/L	1	ON-OFF	15A.125V.AC	275
M	DS-850S-F3-N1K	1	ON-OFF	5A.125V.AC	285
(取付穴28.5X14mm)					
M	DS-125W/L	1	ON-OFF	15A.125V.AC	275
(取付穴:19.2X12.9mm)					
N	CW-SC11WKES	1	ON-OFF	6A.250V.AC	210
(取付穴:19.2X12.9mm)					
S	SW-62W-B	1	ON-OFF	6A.125V.AC	570
(取付穴:19.2X13.1mm)					
Ma	MSR6-#7	1	ON-OFF-ON	6A.125V.AC	260
SH型スイッチホルダー			マイクロスイッチ(オムロン)		
(タカチ)					
M6用	SH-6L-1B	¥200	D2F-F	1A.125V.AC	¥110
M12用	SH-12L-1B	240	D2F-FL	1A.125V.AC	128
	SH-12-1B	390	D2MV-1-1C1	1A.125V.AC	215
	SH-12-1B	450	SS-01GL	0.1A.125V.AC	190
角形用	SH-RL-1B	200	SS-5-F	5A.125V.AC	175
			SS-5GL13	5A.125V.AC	190
			SS-5GL2-F	5A.125V.AC	240
ボリスイッチ(5ヶ入り)			V-152-1A5	15A.250V.AC	325
100mA	RXEF010	¥189	V-16-1A5	16A.250V.AC	310
250mA	RXEF025	200	V-163-1A5	16A.250V.AC	330
500mA	RXEF050	225	VX-56-1A3	5A.250V.AC	320
			Z-15GNJ55-B	15A.250V.AC	1680
			Z-15GQ-B	15A.250V.AC	1000

ブッシュスイッチ						
■ ◎	型名	回路	動作	定格	価格	
Ma 5	MS-311	1	OFF-(ON)		¥170	
M 6	DS-196	1	ON-ON	3A.125V.AC	260	
M 6	DS-299	1	ON-(ON)	3A.125V.AC	310	
M 6	MS-197	2	ON-ON	3A.125V.AC	370	
N 6	MB-2011W	1	ON-(ON)	6A.125V.AC	545	
N 6	MB-2065W	1	ON-ON	6A.125V.AC	610	
N 6	MB-2065	1	ON-ON	6A.125V.AC	450	
N 6	MB-2511	1	ON-(ON)	3A.125V.AC	355	
N 6	MB-2521	2	ON-(ON)	3A.125V.AC	425	
M 7	DS-102	1	OFF-(ON)	1A.125V.AC	180	
I 8	AB8M-M1G	1	ON-(ON)	1A.110V.AC	680	
I 8	AB8M-M1R	1	ON-ON	1A.110V.AC	695	
M 8	DS-408	1	OFF-ON	3A.125V.AC	235	
M 8	DS-410	1	OFF-(ON)	3A.125V.AC	200	
O 10	A2A-4	1	ON-(ON)	5A.125V.AC	270	
M 10	DS-256	1	OFF-ON	3A.125V.AC	230	
M 10	DS-257	1	OFF-(ON)	3A.125V.AC	180	
M 10	DS-450	1	OFF-ON	3A.125V.AC	170	
M 10	DS-456	1	OFF-ON	3A.125V.AC	220	
M 10	DS-458	1	OFF-ON	3A.125V.AC	235	
M 10	DS-463	1	OFF-(ON)	3A.125V.AC	160	
M 10	DS-464	1	OFF-(ON)	3A.125V.AC	190	
M 10	DS-467	1	OFF-(ON)	3A.125V.AC	420	
M 10	DS-471	1	OFF-(ON)	3A.125V.AC	215	
M	DS-670K-P	1	OFF-ON	3A.125V.AC	445	
M 12	DS-008	2	ON-ON	10A.125V.AC	690	
M 12	DS-262K-K	1	OFF-(ON)	3A.125V.AC	330	
M 12	MS-028	1	OFF-ON	3A.125V.AC	230	
M 12	MS-029	1	OFF-(ON)	3A.250V.AC	160	
N 12	MB-2011L/B	1	ON-(ON)	6A.125V.AC	470	
N 12	MS-V2-B22	1	ON-(ON)	15A.125V.AC	315	
N 12	SB-25	2	ON-ON	15A.125V.AC	685	
N 12	SB-285	2	ON-ON	6A.125V.AC	795	
F 12	8Y3011	3	ON-ON	6A.125V.AC	935	
F 12	8Y4011	4	ON-ON	6A.125V.AC	1015	
N 16	LP-01-25CCKNS1	2	ON-(ON)	3A.125V.AC	620	
M	DS-412	1	OFF-(ON)	3A.125V.AC	82	
O 22	A22F-10A	1	OFF-(ON)	10A.110V.AC	950	
O 22	A22NN-BNA-NGA	1	OFF-ON	10A.110V.AC	710	
N 22	LB-16CGS1	1	ON-ON	3A.125V.AC	950	
I 25	ABS101N	1	ON-(OFF)	10A.110V.AC	740	
I 25	ABS110N	1	OFF-(ON)	10A.110V.AC	750	
I 25	AOS110N	1	OFF-ON	10A.110V.AC	1700	
M P	DS-660R-C	1	OFF-(ON)	1A.125V.AC	105	
N P	GB2-15AP	1	ON-(ON)	0.1A.28V.DC	130	
Ma -	MS-400	1	OFF-(ON)		220	
LED照光式ブッシュスイッチ						
O 12	A3CJ-90B1-12E	2	OFF-ON	1A.125V.AC	1460	
M 16	MS-720L-1SN	1	ON-ON	3A.125V.AC	1400	
M 16	MS-730L-1CN	2	ON-(ON)	3A.125V.AC	1330	
N	16 YB-15NKS1	1	ON-(ON)	3A.125V.AC	1170	
N	16 YB-16NKS1	1	ON-ON	3A.125V.AC	1195	
N 22	LB-16CGS1	1	ON-ON	3A.125V.AC	950	
N 22	LB-16WKS1	1	ON-ON	3A.125V.AC	1230	
N 22	LB-26CGS1	2	ON-ON	3A.125V.AC	1040	
セレクトスイッチ						
I 22	HW1S-2T10	1	OFF-ON	10A.110V.AC	¥760	
I 22	HW1S-2T20	2	OFF-ON	10A.110V.AC	1100	
I 22	HW1S-3T20	2	OFF-ON	10A.110V.AC	1230	
バナナジャック			テップジャック			
S	TJ-4	¥168	S	TJ-1	¥78	
S	TJ-563	75	S	TJ-2-J	67	
Mc	BR-1-N	150	S	TJ-2091	115	
バナナプラグ			テッププラグ			
Ma	MK-621	¥90	S	TJ-2-P	¥48	
	MK-621L	120	S	TJ-2090	60	
Mc	BN-1-N	165	S	TJ-2090	60	
T	P-411	¥100	RCAジャック			
T	P-411-5	130	ターミナル			
T	P-415	115	4P		450	
			6P	RCA2002	700	
ピンプラグ						
S	TJ-2090	62				

※ 在庫切れ商品がある可能性もある為電話にて確認の上来店をお願いいたします

ヤナイ無線(株) 営業時間 AM9:50～PM7:00 定休日毎週月・火曜日

TEL 0270-24-9401 FAX 0270-23-9431

ネジ/ナット類(鉄入り)			ガラス管ヒューズ				工作キット		
ナベ 鉄/ニッケルメッキ			ミゼット形		標準型		サンハヤト		
サイズmm	個数	価格	(5.2φ×20mm)		(6.4φ×30mm)				
3×6	50	¥114	A	125V 250V	125V	250V	SBS-203	####	
3×8	50	¥114	0.1	¥36 ¥50	¥30	¥38	SBS-204	1,560	
3×10	50	130	0.2	36 40	30	38	SBS-300BK	9,100	
3×12	50	140	0.3	28 40	26	34	SBS-206	1,780	
3×16	20	70	0.5	28 40	26	34	SBS-207	1,780	
3×22	20	85	1	24 34	22	28			
3×25	20	95	1.5	24 34	22				
3×30	10	50	2	24 34	22	28			
3×35	10	60	3	24 34	22	28			
3×40	10	80	4	28 36	24	32			
3×45	10	100	5	28 36	24	32			
3mmナット	50	140	6	28 36	24	32	AW-864	2,700	
3mmSPワッシャ	50	60	8	32 38	28	34	AW-865	3,000	
3mm平ワッシャ	50	48	10	32 38	28	34	AW-866	3,000	
2×6	20	48	12	36 38	28	36	KPS-3226	1,100	
2×10	20	57	15	36 38	32	36	LK-1RD	300	
2mmナット	57	20			32	36	LK-1RD-6	450	
4×6	20	64	25	32	32	36	LK-1WH	400	
4×8	20	80	30		32	36	LK-1WM	400	
4×10	20	96					LK-1YE-6	450	
4mmナット	20	80					LK-3BL-C50	400	
4mmSPワッシャ	20	60					LK-3RD-C50	350	
4mm平ワッシャ	20	48					LK-3WH-C50	400	
ポリビス/ナット鉄入り			(10.3φ×38.1)				LK-5BL-C50	400	
3×6	10	¥80	B-50-EE				¥2,700	LK-5PG-C50	400
3×8	10	¥80	B-50-EF				2,480	LK-5RD-C50	350
3mmナット	10	100	B-50-EG				3,000	LK-5WH-C50	400
ジャックドライバ			B-50-FG				2,550	LK-8BL-12V	250
(エンジニア)			B-50-FF				2,700	LK-8BL2-1.5V	400
DJ-01	¥382		B-50-GG				2,550	LK-8RD2-1.5V	250
DJ-03	255		カー電装パーツ					LK-8RD2-1.5V	400
DJ-04	255		(エーモン)					LK-8WH-12V	300
DOプラグ			ギボシ端子		平型端子		LK-8WH2-1.5V	400	
(マル信無線電機)			No.1001	¥420	No.1133	¥152	LK-8WM2-1.5V	400	
MMP-065L	φ6.3X3.1	¥80	1002	420	1134	152	LK-8WM2-12V	300	
MMP-121AR	φ5.5X2.1	115	1003	285	1135	272	LK-CB1	800	
MMP-121C	φ5.5X2.1	90	1004	360			LK-CB2	800	
MMP-121M	φ5.5X2.1	40	1163	208			LK-CB3	800	
MMP-121PS	φ3.0X1.1	90	3305	245	平型ヒューズ		LK-CB4	800	
MMP-121WH	φ3.4X1.4	90			ホルダー		LK-CB5	800	
MMP-121WL	φ3.4X1.4	80			E432	320	LK-CB6	800	
MMP-122AR	φ5.5X2.5	115			E333	320	LK-RB1	600	
MMP-122C	φ5.5X2.5	90	Y型接続端子				MR-9101R	3,800	
MMP-122M	φ5.5X2.5	40	M259	240	ミニ平型		MR-9103	2,000	
MMP-135NK	φ3.5X1.1	90	M260	240	ヒューズホルダー		MR-9104	3,800	
MMP-136L	φ5.5X2.1	60			E425	370	MR-9104BT	6,800	
MMP-137L	φ5.5x2.5	60	平型ヒューズ				MR-9104BT	6,800	
MMP-138NK	φ3.8X1.4	90	No.1263	128			MR-9106	6,500	
MMP-201	φ2.35x0.7	115	1265	128			MR-9107	3,800	
MMP-202	φ4.0x1.7	100	1266	128			MR-972	3,900	
MMP-202LN	φ4.0x1.7	115	1268	128	電源プラグ		NT-5	800	
MMP-203	φ4.75x1.7	95	1269	128	No.1537	710	NT-7	800	
MMP-204	φ5.5X3.3	110	1268	128			OR-7802	980	
MMP-205	φ6.5X4.3	120	1269	128	シガーソケット		PS-3001S	2,000	
DCジャック			3671	252	E329	700	PS-3041	1,400	
MJ-10	φ5.5X2.1	¥55			電源ソケット		PS-3238	1,200	
MJ-101LR	φ5.5X2.1	60			1541	740	PS-3241	2,800	
MJ-11	φ5.5X2.5	55	ミニ平型ヒューズ				PS-3242	2,600	
MJ-111LR	φ5.5X2.5	60	No.1272	108	マイク掛け		PS-3247	2,200	
MJ-1078N	φ5.5X2.1	60	1274	108	S904	160	PS-3248	2,000	
MJ-179LR	φ5.5X2.1	60	1275	108			PU-2801	1,500	
MJ-180LR	φ5.5X2.5	60	1276	108	配線止め金具		PU-2208	700	
MJ-19	φ5.5X3.3	120	1277	108	No.1192	160	RP-2000	2,000	
MJ-44	φ3.4X1.4	130	1193	160	E337	160	RP-3600	3,600	
MJ-45	φ3.8X1.4	130	1278	108	E338	160	TK-735S	2,000	
JM-17(MSK)	φ4.0X1.7	120	平型ヒューズ電源		E339	240	TK-738	2,200	
中継DCジャック			E529	360	E676	480	TK-739	2,100	
MJ-077N	φ5.5X2.1	120	E530	360	E678	480	浦部中央製作所		
MJ-078N	φ5.5X2.5	120	E531	360	配線クリップ		U-133	¥500	
MJ-096N	φ4.0x1.7	120			No.1194	224	U-134	500	
MJ-099N	φ3.4X1.4	178			E322	240	U-135	500	
替えスポンジ			ミニ平型				U-135A	500	
替えクリューナー			ヒューズ電源				ワンダーキート		
A1519	(ハッソー)	119	E511	360	マジクロス		FF-13RB2	980	
H-11-1	(HOZAN)	170	E512	360	N874	960	HO-02A	1,400	
H-108	(HOZAN)	263	E513	360			KA-064	1,500	
ST-11SP	(goot)	127	ヒューズグリップ		両面テープ				
ST-30SP	(goot)	102	No.1280	80	検電テスター				
ST-40BW	(goot)	280	USB電源ポート						
ST-53SP	(goot)	170	No.2880	1000	No.1547	1280			
ST-70/75SP	(goot)	212	2881	1700					
599-029	(ハッソー)	255							